



Help and Support

[Help and Support Home](#) | [Select a Product](#) | [Search \(KB\)](#)

Error message when you install or start an MS-DOS or 16-bit Windows-based program

Article ID : 324767
Last Review : August 17, 2004
Revision : 2.0

This article was previously published under Q324767

On this Page

- [SYMPTOMS](#)
- [CAUSE](#)
- [RESOLUTION](#)
- [MORE INFORMATION](#)

SYMPTOMS

If you try to start or install an MS-DOS-based or a 16-bit Windows-based program on your Windows XP-based computer, you may receive an error message that is similar to one of the following:

16-bit MS-DOS Subsystem
path to the program that you are trying to start or install
C:\Winnt\System32\config.nt The system file is not suitable for running MS-DOS and Microsoft Windows applications. Choose 'Close' to terminate the application.

16-bit MS-DOS Subsystem
path to the program that you are trying to start or install
config.nt The system file is not suitable for running MS-DOS and Microsoft Windows applications. Choose 'Close' to terminate the application.

16-bit MS-DOS Subsystem
path to the program that you are trying to start or install
C:\Windows\System32\Autoexec.nt The system file is not suitable for running MS-DOS and Microsoft Windows applications. Choose 'Close' to terminate

Article Translations

Related Support Centers

- [Microsoft Windows XP](#)

Other Support Options

- [Contact Microsoft](#)
Phone Numbers, Support Options and Pricing, Online Help, and more.
- [Customer Service](#)
For non-technical assistance with product purchases, subscriptions, online services, events, training courses, corporate sales, piracy issues, and more.
- [Newsgroups](#)
Pose a question to other users. Discussion groups and Forums about specific Microsoft products, technologies, and services.

Page Tools

- [Print this page](#)
- [E-mail this page](#)
- [Microsoft Worldwide](#)
- [Save to My Support Favorites](#)
- [Go to My Support Favorites](#)
- [Send Feedback](#)



the application.

Although you may be prompted to quit the program or ignore the error message, either selection makes the program quit.

CAUSE

This issue may occur if one or more of the following files are missing or damaged:

- Config.nt
- Autoexec.nt
- Command.com

RESOLUTION

To resolve this issue:

1. Insert the CD into the CD drive or DVD drive.
2. Click **Start**, and then click **Run**.
3. In the **Open** box, type **cmd**, and then click **OK**.
4. At the command prompt, type the following commands, pressing ENTER after each command:

```
expand CD-ROM Drive Letter: \i386\config.nt_ c:\windows\system32\config.nt
expand CD-ROM Drive Letter: \i386\autoexec.nt_ c:\windows\system32\autoexec.nt
expand CD-ROM Drive Letter: \i386\command.co_ c:\windows\system32\command.com
exit
```
5. Start or install the program. If the issue is resolved, do not complete the remaining steps. If the issue is not resolved, go to the next step.
6. **Note:** The Command.com file is not edited or created in this in the following process. Because of this, you may have to expand it from your Windows XP CD-ROM.
Start Notepad.
7. In Notepad, type the following entries:

```
dos=high, umb
device=%SYSTEMROOT%\system32\himem.sys
files=40
```
8. On the **File** menu, click **Save As**.
9. In the **File Name** box, type **Config.nt**, and then click **Save**. Close the Config.nt file.
10. On the **File** menu, click **New**.
11. In the new blank document, type the following entries:

```
@echo off
lh %SYSTEMROOT%\system32\mscdexnt.exe
lh %SYSTEMROOT%\system32\redir
lh %SYSTEMROOT%\system32\dosx
SET BLASTER=A220 I5 D1 P330 T3
```
12. On the **File** menu, click **Save As**.
13. In the **File Name** box, type **Autoexec.nt**, and then click **Save**. Close the Autoexec.nt file.
14. Start Windows Explorer. Locate the Config.nt file, right-click the **Config.nt** file, and then click **Copy**.
15. Right-click the %SYSTEMROOT%\System32 folder, and then click **Paste**.
16. Locate the Autoexec.nt file, right-click the **Autoexec.nt** file, and then click **Copy**.
17. Right-click the %SYSTEMROOT%\System32 folder, and then click **Paste**.
18. Locate the Command.com file, right-click the expanded **Command.com** file, and then click **Copy**.
19. Right-click the %SYSTEMROOT%\System32 folder, and then click **Paste**. Restart your computer.

MORE INFORMATION

For additional information about MS-DOS-based programs in Windows, click the following article numbers to view the articles in the Microsoft Knowledge Base:

[305521](#) An error message occurs when you run an MS-DOS or 16-bit Windows program

[314106](#) Troubleshooting MS-DOS-based programs in Windows XP

APPLIES TO

- Microsoft Windows XP Professional Edition
- Microsoft Windows XP Home Edition

[↑ Top of Page](#)

Keywords: kberrmsg kbprb
KB324767

[↑ Top of Page](#)

[Manage Your Profile](#) | [Contact Us](#)

©2004 Microsoft Corporation. All rights reserved. [Terms of Use](#) | [Trademarks](#) | [Privacy Statement](#)